



GLYSANTIN® G40® Ready Mix



Produktdetails

GLYSANTIN® G40® ist ein Premium-Kühlerschutzmittel, das zur neuen Generation der GLYSANTIN®-Produkte gehört. Dieses Produkt verwendet die Hybrid Additiv-Technologie (Si-OAT). Es kombiniert die Vorteile von Kühlmitteln, die Silikate enthalten mit solchen, die silikatfrei sind, und erzielt dadurch hervorragenden Schutz vor Korrosion und eine lange Lebensdauer.

- Gebrauchsfertige Mischung
- PKW

Technische Details

- Kombiniert die Vorteile von organischen und silikathemmenden Stoffen für einen ausgezeichneten Korrosionsschutz (Hybrid Additiv-Technologie)
- Farbe: Pink

Zusätzliche Eigenschaften

- Ebenfalls für Elektrofahrzeuge geeignet
- GLYSANTIN® G40® Ready Mix 50 ECO BMB 100
- Für die Herstellung des GLYSANTIN®-Produkts wurden 100 % der fossilen Rohstoffe durch erneuerbare Rohstoffe ersetzt. 100% massenbilanziertes Produkt mit mehr als 75 % CO2-Einsparung.

Erhältlich in





GLYSANTIN® G40® (PASSENGER CARS)

ORIGINAL EQUIPMENT MANUFACTURER (OEM) APPROVAL CODES

GLYSANTIN® G40® ECO BMB products carry the same approvals as the conventional **GLYSANTIN® G40®** products.

Brand	Models	Year	Approval code	APPROVED or RECOMMENDED
Audi	all	from 08/2007	TL 774-G	APPROVED
Bentley	all	from 01/2008	TL 774-G	APPROVED
Bugatti	all	from 01/2008	TL 774-G	APPROVED
Deutsche Bundeswehr			TL 6850-0038/6	APPROVED
FIAT (GAC)				RECOMMENDED
Huansu (BAIC)				RECOMMENDED
Infiniti	all			RECOMMENDED
Lamborghini	all	from 01/2009	TL 774-G	APPROVED
Mercedes-Benz Cars	all	from 05/2014	MB-Approval 325.6, MB-Approval 326.6*	APPROVED
Porsche	all	from 01/2010	TL 774-G	APPROVED
Seat	all	from 01/2008	TL 774-G	APPROVED
Škoda	all	from 09/2008	TL 774-G	APPROVED
Volkswagen	all	from 09/2008	TL 774-G	APPROVED
Weiwang (BAIC)	all			RECOMMENDED

*GLYSANTIN® G40® Ready Mix

COOL... COOLER... COOLANT

The descriptions, designs, data and information contained herein are presented in good faith, and are based on BASF's current knowledge and experience. They are provided for guidance only, and do not constitute the agreed contractual quality of the product or a part of BASF's terms and conditions of sale. Because many factors may affect processing or application/use of the product, BASF recommends that the reader carry out its own investigations and tests to determine the suitability of a product for its particular purpose prior to use. It is the responsibility of the recipient of product to ensure that any proprietary rights and existing laws and legislation are observed. No warranties of any kind, either expressed or implied, including, but not limited to, warranties of merchantability or fitness for a particular purpose, are made regarding products described or designs, data or information set forth herein, or that the products, descriptions, designs, data or information may be used without infringing the intellectual property rights of others. Any descriptions, designs, data and information given in this publication may change without prior information. The descriptions, designs, data, and information furnished by BASF hereunder are given gratis and BASF assumes no obligation or liability for the descriptions, designs, data or information given or results obtained, all such being given and accepted at the reader's risk. (08/2023)



A brand of

BASF
We create chemistry



GLYSANTIN® G40®

ORIGINAL EQUIPMENT MANUFACTURER (OEM) APPROVAL CODES

GLYSANTIN® G40® ECO BMB products carry the same approvals as the conventional GLYSANTIN® G40® products.

Truck & Bus

Brand	Models	Year	Approval code	APPROVED or RECOMMENDED
Daimler Truck & EvoBus	all	from 10/2011	MB-Approval 325.5, MB-Approval 326.5*	APPROVED
Irizar		from 09/2016		APPROVED
MAN Truck & Bus		from 12/2012	MAN 324 Typ Si-OAT	APPROVED
Scania			TB1451	APPROVED
SETRA	all		MB-Approval 325.5, MB-Approval 326.5*	APPROVED
Wrightbus	all			APPROVED

*Glysantin® G40® Ready Mix

Motorbike

Brand	Models	Year	Approval code	APPROVED or RECOMMENDED
Ducati			TL 774-G	APPROVED

Farm & Construction

Brand	Models	Year	Approval code	APPROVED or RECOMMENDED
Claas				APPROVED
Deutz-Fahr	Combines	from 04/2017		APPROVED
Faun				RECOMMENDED
Liebherr	all engines	from 01/2015	Minimum LH-01-COL3A	APPROVED
Tadano				RECOMMENDED

Industrial Equipment

Brand	Models	Year	Approval code	APPROVED or RECOMMENDED
Cummins	all engines		CES 14603	APPROVED
Deutz	all engines		DQC CC-14	APPROVED
MAN Energy Solutions	Engine type MAN 175D		BASF-CW-GLY00G40-01	APPROVED
MTU	selected engines		MTL 5048	APPROVED



COOL... COOLER... COOLANT

The descriptions, designs, data and information contained herein are presented in good faith, and are based on BASF's current knowledge and experience. They are provided for guidance only, and do not constitute the agreed contractual quality of the product or a part of BASF's terms and conditions of sale. Because many factors may affect processing or application/use of the product, BASF recommends that the reader carry out its own investigations and tests to determine the suitability of a product for its particular purpose prior to use. It is the responsibility of the recipient of product to ensure that any proprietary rights and existing laws and legislation are observed. No warranties of any kind, either expressed or implied, including, but not limited to, warranties of merchantability or fitness for a particular purpose, are made regarding products described or designs, data or information set forth herein, or that the products, descriptions, designs, data or information may be used without infringing the intellectual property rights of others. Any descriptions, designs, data and information given in this publication may change without prior information. The descriptions, designs, data, and information furnished by BASF hereunder are given gratis and BASF assumes no obligation or liability for the descriptions, designs, data or information given or results obtained, all such being given and accepted at the reader's risk. (08/2023)



A brand of

BASF

We create chemistry