

## 1. Identification of the substance/preparation and company/undertaking

|   |   |
|---|---|
| <b>Product name</b>                     | <b>Castrol Red Rubber Grease</b>  |
| <b>SDS no.</b>                          | 452337  |
| <b>Use of the substance/preparation</b> | Grease for industrial applications<br>For specific application advice see appropriate Technical Data Sheet or consult our company representative. |
| <b>Supplier</b>                         | Castrol (UK) Ltd<br>Wakefield House<br>Pipers Way<br>Swindon<br>Wiltshire SN3 1RE   |
| <b>EMERGENCY TELEPHONE NUMBER</b>       | Carechem: +44 (0) 208 762 8322 (24 hours)   |
| <b>E-mail address</b>                   | MSDSadvice@bp.com   |

## 2. Hazards identification

This preparation is classified as dangerous according to Directive 1999/45/EC as amended and adapted.

|                              |   |
|------------------------------|---|
| <b>Environmental hazards</b> | Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.   |
| <b>Additional hazards</b>    | Note: High Pressure Applications<br>Injections through the skin resulting from contact with the product at high pressure constitute a major medical emergency.<br>See 'Notes to physician' under First-Aid Measures, Section 4 of this Safety Data Sheet. |

See sections 11 and 12 for more detailed information on health effects and symptoms and environmental hazards.

## 3. Composition/information on ingredients

Vegetable oil Clay. Proprietary performance additives.

| <b>Chemical name</b> | <b>CAS no.</b> | <b>%</b> | <b>EINECS / ELINCS.</b> | <b>Classification</b>           |     |
|----------------------|----------------|----------|-------------------------|---------------------------------|-----|
| Propylene carbonate  | 108-32-7       | 1 - 5    | 203-572-1               | Xi; R36                         | [1] |
| Benzotriazole        | 95-14-7        | 0.1 - 1  | 202-394-1               | Xn; R20/22<br>Xi; R36<br>R52/53 | [1] |
| Dicyclohexylamine    | 101-83-7       | 0.1 - 1  | 202-980-7               | Xn; R22<br>C; R34<br>N; R50/53  | [1] |

See section 16 for the full text of the R-phrases declared above

[1] Substance classified with a health or environmental hazard

[2] Substance with a workplace exposure limit

[3] PBT-substance

[4] vPvB-substance

Occupational exposure limits, if available, are listed in section 8.

## 4. First-aid measures

|                     |  |
|---------------------|--|
| <b>Eye contact</b>  | In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Get medical attention if irritation occurs.   |
| <b>Skin contact</b> | In case of contact, immediately flush skin with plenty of water. Remove contaminated clothing and shoes. Wash clothing before reuse. Clean shoes thoroughly before reuse. Get medical attention if irritation develops.              |
| <b>Inhalation</b>   | If inhaled, remove to fresh air. Get medical attention if symptoms appear.   |
| <b>Ingestion</b>    | Do not induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. If potentially dangerous quantities of this material have been swallowed, call a physician immediately. |

|   |   |  |
|---|---|--|
| <b>Product name</b> Castrol Red Rubber Grease | <b>Product code</b> 452337-GB09                       | <b>Page:</b> 1/5                       |
| <b>Date of issue</b> 24 September 2010        | <b>Format</b> United Kingdom (UK)<br>(United Kingdom) | <b>Language</b> ENGLISH<br>( ENGLISH ) |

**Note: High Pressure Applications**

Injections through the skin resulting from contact with the product at high pressure constitute a major medical emergency. Injuries may not appear serious at first but within a few hours tissue becomes swollen, discoloured and extremely painful with extensive subcutaneous necrosis.

Surgical exploration should be undertaken without delay. Thorough and extensive debridement of the wound and underlying tissue is necessary to minimise tissue loss and prevent or limit permanent damage. Note that high pressure may force the product considerable distances along tissue planes.

---

## 5. Fire-fighting measures

**Extinguishing media****Suitable**

Use foam or all-purpose dry chemical to extinguish. Fire water contaminated with this material must be contained and prevented from being discharged to any waterway, sewer or drain.

**Not suitable**

Do not use water jet.

**Hazardous decomposition products**

Decomposition products may include the following materials:

carbon dioxide  
carbon monoxide  
nitrogen oxides

**Special fire-fighting procedures**

None identified.

**Protection of fire-fighters**

Fire-fighters should wear positive pressure self-contained breathing apparatus (SCBA) and full turnout gear.

---

## 6. Accidental release measures

**Personal precautions**

No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Avoid breathing vapour or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment (see section 8).

**Environmental precautions**

Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). Water polluting material.

**Large spill**

Stop leak if without risk. Move containers from spill area. Approach the release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilt product. Note: see section 1 for emergency contact information and section 13 for waste disposal.

**Small spill**

Stop leak if without risk. Move containers from spill area. Absorb with an inert material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

---

## 7. Handling and storage

**Handling**

Avoid contact of spilt material and runoff with soil and surface waterways.

**Storage**

Keep container tightly closed. Keep container in a cool, well-ventilated area.

**Not suitable**

Prolonged exposure to elevated temperature

---

## 8. Exposure controls/personal protection

**Occupational exposure limits**

This product does not have any assigned OELs.

**Exposure controls****Occupational exposure controls**

Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapours below their respective occupational exposure limits.

All activities involving chemicals should be assessed for their risks to health, to ensure exposures are adequately controlled. Personal protective equipment should only be considered after other forms of control measures (e.g. engineering controls) have been suitably evaluated. Personal protective equipment should conform to appropriate standards, be suitable for use, be kept in good condition and properly maintained.

Your supplier of personal protective equipment should be consulted for advice on selection and appropriate standards. For further information contact your national organisation for standards.

The final choice of protective equipment will depend upon a risk assessment. It is important to ensure that all items of personal protective equipment are compatible.

**Hygiene measures**

Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period.

**Personal protective equipment**

|                      |                           |                     |                        |                 |                        |
|----------------------|---------------------------|---------------------|------------------------|-----------------|------------------------|
| <b>Product name</b>  | Castrol Red Rubber Grease | <b>Product code</b> | 452337-GB09            | <b>Page:</b>    | 2/5                    |
| <b>Date of issue</b> | 24 September 2010         | <b>Format</b>       | United Kingdom<br>(UK) | <b>Language</b> | ENGLISH<br>( ENGLISH ) |
|                      |                           |                     | (United Kingdom)       |                 |                        |

### Respiratory protection

Respiratory protective equipment is not normally required where there is adequate natural or local exhaust ventilation to control exposure.  
In case of insufficient ventilation, wear suitable respiratory equipment. Respiratory protective equipment must be checked to ensure it fits correctly each time it is worn.

Air-filtering respirators, also called air-purifying respirators, will not be adequate under conditions of oxygen deficiency (i.e. low oxygen concentration), and would not be considered suitable where airborne concentrations of chemicals with a significant hazard are present. In these cases air-supplied breathing apparatus will be required.

Provided an air-filtering/air-purifying respirator is suitable, a filter for particulates can be used for mist or fume. Use filter type P or comparable standard. A combination filter for particles and organic gases and vapours (boiling point >65°C) may be required if vapour or abnormal odour is also present due to high product temperature. Use filter type AP or comparable standard.

### Hand protection

Wear protective gloves if prolonged or repeated contact is likely. Wear chemical resistant gloves. Recommended: nitrile gloves.

Protective gloves will deteriorate over time due to physical and chemical damage. Inspect and replace gloves on a regular basis. The frequency of replacement will depend upon the circumstances of use.

### Eye protection

Safety glasses with side shields.

### Skin and body

Use of protective clothing is good industrial practice.

Cotton or polyester/cotton overalls will only provide protection against light superficial contamination that will not soak through to the skin. Overalls should be laundered on a regular basis. When the risk of skin exposure is high (e.g. when cleaning up spillages or if there is a risk of splashing) then chemical resistant aprons and/or impervious chemical suits and boots will be required.

---

## 9 . Physical and chemical properties

### General information

#### Appearance

|                |        |
|----------------|--------|
| Physical state | Grease |
| Colour         | Red.   |
| Odour          | Mild.  |

### Important health, safety and environmental information

|             |  |
|-------------|--|
| Flash point | Closed cup: >230°C (>446°F)  |
| Density     | 850 to 950 kg/m <sup>3</sup> (0.85 to 0.95 g/cm <sup>3</sup> ) at 20°C |

---

## 10 . Stability and reactivity

|                                    |  |
|------------------------------------|--|
| Stability                          | The product is stable.   |
| Possibility of hazardous reactions | Under normal conditions of storage and use, hazardous reactions will not occur.  |
| Conditions to avoid                | No specific data.  |
| Materials to avoid                 | Reactive or incompatible with the following materials: oxidizing materials.  |
| Hazardous decomposition products   | Combustion products may include the following:<br>carbon oxides<br>nitrogen oxides<br><br>Under normal conditions of storage and use, hazardous decomposition products should not be produced. |

---

## 11 . Toxicological information


|                      |  |
|----------------------|--|
| Acute toxicity       | Unlikely to cause more than transient stinging or redness if accidental eye contact occurs.<br><br>Unlikely to cause harm to the skin on brief or occasional contact but prolonged or repeated exposure may lead to dermatitis.<br><br>Unlikely to cause harm if accidentally swallowed in small doses, though larger quantities may cause nausea and diarrhoea.<br><br>At normal ambient temperatures this product will be unlikely to present an inhalation hazard because of its low volatility. May be harmful by inhalation if exposure to vapour, mists or fumes resulting from thermal decomposition products occurs. |
| Chronic toxicity     |  |
| Chronic effects      | Prolonged or repeated contact can defat the skin and lead to irritation, cracking and/or dermatitis.   |
| Effects and symptoms |  |
| Eyes                 | No significant health hazards identified.  |
| Skin                 | No significant health hazards identified.  |
| Inhalation           | No significant health hazards identified.  |
| Ingestion            | No significant health hazards identified.  |

|               |                           |              |                     |          |             |
|---------------|---------------------------|--------------|---------------------|----------|-------------|
| Product name  | Castrol Red Rubber Grease | Product code | 452337-GB09         | Page:    | 3/5         |
| Date of issue | 24 September 2010         | Format       | United Kingdom (UK) | Language | ENGLISH     |
|               |                           |              | (United Kingdom)    |          | ( ENGLISH ) |

## 12 . Ecological information

|                                     |   |
|-------------------------------------|---|
| <b>Persistence/degradability</b>    | Inherently biodegradable  |
| <b>Mobility</b>                     | Spillages are unlikely to penetrate the soil.   |
| <b>Bioaccumulative potential</b>    | This product is not expected to bioaccumulate through food chains in the environment.         |
| <b>Environmental hazards</b>        | Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment. |
| <b>Other ecological information</b> | If released to water the product will sink.   |

## 13 . Disposal considerations

|  |   |
|--|---|
| <b>Disposal considerations / Waste information</b> | The generation of waste should be avoided or minimised wherever possible. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe way. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Avoid dispersal of spill material and runoff and contact with soil, waterways, drains and sewers. |
| <b>Unused product</b>                              |   |
| <b>European waste catalogue (EWC)</b>              |  08 99* wastes not otherwise specified<br>However, deviation from the intended use and/or the presence of any potential contaminants may require an alternative waste disposal code to be assigned by the end user.  |

## 14 . Transport information

Not classified as hazardous for transport (ADR/RID, ADNR, IMDG, ICAO/IATA)


## 15 . Regulatory information

Classification and labelling have been performed according to EU directives 1999/45/EC and 67/548/EEC as amended and adapted.

### Label requirements

|  |   |
|--|---|
| <b>Risk phrases</b>                      | R52/53- Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment. |
| <b>Safety phrases</b>                    | S61- Avoid release to the environment. Refer to special instructions/safety data sheet.               |
| <b>Other regulations</b>                 |   |
| <b>Europe inventory</b>                  | All components are listed or exempted.  |
| <b>United States inventory (TSCA 8b)</b> | All components are listed or exempted.  |
| <b>Australia inventory (AICS)</b>        | All components are listed or exempted.  |
| <b>Canada inventory</b>                  | At least one component is not listed.   |
| <b>China inventory (IECSC)</b>           | All components are listed or exempted.  |
| <b>Japan inventory (ENCS)</b>            | Not determined.   |
| <b>Korea inventory (KECI)</b>            | Not determined.   |
| <b>Philippines inventory (PICCS)</b>     | Not determined.   |

## 16 . Other information

|   |  |
|---|--|
| <b>Full text of R-phrases referred to in sections 2 and 3</b> | R22- Harmful if swallowed.<br>R20/22- Harmful by inhalation and if swallowed.<br>R34- Causes burns.<br>R36- Irritating to eyes.<br>R50/53- Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.<br>R52/53- Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment. |
| <b>History</b>  |  |
| <b>Date of issue/ Date of revision</b>                        | 24/09/2010.  |
| <b>Date of previous issue</b>                                 | 15/09/2009.  |
| <b>Prepared by</b>  | Product Stewardship  |
| <b>Notice to reader</b>                                       |  Indicates information that has changed from previously issued version.   |

|   |                                   |                         |
|---|-----------------------------------|-------------------------|
| <b>Product name</b> Castrol Red Rubber Grease | <b>Product code</b> 452337-GB09   | <b>Page:</b> 4/5        |
| <b>Date of issue</b> 24 September 2010        | <b>Format United Kingdom (UK)</b> | <b>Language ENGLISH</b> |
|   | <b>(United Kingdom)</b>           | <b>( ENGLISH )</b>      |

All reasonably practicable steps have been taken to ensure this data sheet and the health, safety and environmental information contained in it is accurate as of the date specified below. No warranty or representation, express or implied is made as to the accuracy or completeness of the data and information in this data sheet.

The data and advice given apply when the product is sold for the stated application or applications. You should not use the product other than for the stated application or applications without seeking advice from us.

It is the user's obligation to evaluate and use this product safely and to comply with all applicable laws and regulations. The BP Group shall not be responsible for any damage or injury resulting from use, other than the stated product use of the material, from any failure to adhere to recommendations, or from any hazards inherent in the nature of the material. Purchasers of the product for supply to a third party for use at work, have a duty to take all necessary steps to ensure that any person handling or using the product is provided with the information in this sheet. Employers have a duty to tell employees and others who may be affected of any hazards described in this sheet and of any precautions that should be taken.

**Product name** Castrol Red Rubber Grease

**Product code** 452337-GB09

**Page:** 5/5

**Date of issue** 24 September 2010

**Format** United Kingdom  
(UK)

**Language** ENGLISH

(United Kingdom)

( ENGLISH )